

## Appendix

### Studies Accepted for Review and Analyses

1. Abrahamov D, Tamaris M, Guru V, *et al.* Clinical results of endarterectomy of the right and left anterior descending coronary arteries. *J Card Surg* 1999;**14**:16-25.
2. Abramov D, Tamariz MG, Fremes SE, *et al.* Trends in coronary artery bypass surgery results: A recent, 9-year study. *Ann Thorac Surg* 2000;**70**:84-90.
3. Aldea GS, Doursounian M, O'Gara P, *et al.* Heparin-bonded circuits with a reduced anticoagulation protocol in primary CABG: A prospective, randomized study. *Ann Thorac Surg* 1996;**62**:410-7.
4. Aldea GS, Gaudiani JM, Shapira OM, *et al.* Effect of gender on postoperative outcomes and hospital stays after coronary artery bypass grafting. *Ann Thorac Surg* 1999;**67**:1097-103.
5. Aldea GS, Zhang X, Memmolo CA, *et al.* Enhanced blood conservation in primary coronary artery bypass surgery using heparin-bonded circuits with lower anticoagulation. *J Card Surg* 1996;**11**:85-95.
6. Alderman EL, Levy JH, Rich JB, *et al.* Analyses of coronary graft patency after aprotinin use: Results from the International Multicenter Aprotinin Graft Patency Experience (IMAGE) trial. *J Thorac Cardiovasc Surg* 1998;**116**:716-30.
7. Alhan HC, Karabulut H, Tosun R, *et al.* Intermittent aortic cross-clamping and cold crystalloid cardioplegia for low-risk coronary patients. *Ann Thorac Surg* 1996;**61**:834-9.
8. Ali IM, Lau P, Kinley CE, *et al.* Opening the pleura during internal mammary artery harvesting: Advantages and disadvantages. *Can J Surg* 1996;**39**:42-5.
9. Ali IM, Sanalla AA, Clark V. Beta-blocker effects on postoperative atrial fibrillation. *Eur J Cardiothorac Surg* 1997;**11**:1154-7.

10. Ancona C, Agabiti N, Forastiere F, *et al.* Coronary artery bypass graft surgery: Socioeconomic inequalities in access and in 30-day mortality. A population-based study in Rome, Italy. *J Epidemiol Community Health* 2000;**54**:930-5.
11. Anderson RJ, O'Brien M, MaWhinney S, *et al.* Renal failure predisposes patients to adverse outcome after coronary artery bypass surgery. VA Cooperative Study #5. *Kidney Int* 1999;**55**:1057-62.
12. Anyanwu AC, Saeed I, Bustami M, *et al.* Does routine use of the radial artery increase complexity or morbidity of coronary bypass surgery?. *Ann Thorac Surg* 2001;**71**:555-9.
13. Arom KV, Flavin TF, Emery RW, *et al.* Safety and efficacy of off pump coronary artery bypass grafting. *Ann Thorac Surg* 2000;**69**:704-10.
14. Ascione R, Caputo M, Calori G, *et al.* Predictors of atrial fibrillation after conventional and beating heart coronary surgery: A prospective, randomized study. *Circulation* 2000;**102**:1530-5.
15. Ascione R, Lloyd CT, Gomes WJ, *et al.* Beating versus arrested heart revascularization: Evaluation of myocardial function in a prospective randomized study. *Eur J Cardiothorac Surg* 1999;**15**:685-90.
16. Babin-Ebell J, Keith PR, Elert O. Efficacy and safety of low-dose propranolol versus diltiazem in the prophylaxis of supraventricular tachyarrhythmia after coronary artery bypass grafting. *Eur J Cardiothorac Surg* 1996;**10**:412-6.
17. Barbir M, Lazem F, Ilsley C, *et al.* Coronary artery surgery in women compared with men: Analysis of coronary risk factors and in-hospital mortality in a single center. *Br Heart J* 1994;**71**:408-12.
18. Barbut D, Lo YW, Gold JP, *et al.* Impact of embolization during coronary artery bypass grafting on outcome and length of stay. *Ann Thorac Surg* 1997;**63**:998-1002.
19. Becker RB, Zimmerman JE, Knaus WA, *et al.* The use of APACHE III to evaluate ICU length of stay, resource use, and mortality after coronary artery by-pass surgery. *J Cardiovasc Surg* 1995;**36**:1-11.

20. Berry PD, Thomas SD, Mahon SP, *et al.* Myocardial ischaemia after coronary artery bypass grafting: Early vs. late extubation. *Br J Anaesth* 1998;**80**:20-5.
21. Bhatnagar G, Fremes SE, Christakis GT, *et al.* Early results using an ePTFE membrane for pericardial closure following coronary bypass grafting. *J Card Surg* 1998;**13**:190-3.
22. Bical O, Braunberger E, Fischer M, *et al.* Bilateral skeletonized mammary artery grafting: Experience with 560 consecutive patients. *Eur J Cardiothorac Surg* 1996;**10**:971-5.
23. Bilfinger TV, Reda H, Giron F, *et al.* Coronary and carotid operations under prospective standardized conditions: Incidence and outcome. *Ann Thorac Surg* 2000;**69**:1792-8.
24. Birdi I, Regragui I, Izzat MB, *et al.* Influence of normothermic systemic perfusion during coronary artery bypass operations: A randomized prospective study. *J Thorac Cardiovasc Surg* 1997;**114**:475-81.
25. Borger MA, Peniston CM, Weisel RD, *et al.* Neuropsychologic impairment after coronary bypass surgery: Effect of gaseous microemboli during perfusionist interventions. *J Thorac Cardiovasc Surg* 2001;**121**:743-9.
26. Bracey AW, Radovancevic R, Riggs SA, *et al.* Lowering the hemoglobin threshold for transfusion in coronary artery bypass procedures: Effect on patient outcome. *Transfusion* 1999;**39**:1070-7.
27. Brandrup-Wognsen G, Haglid M, Karlsson T, *et al.* Mortality during the two years after coronary artery bypass grafting in relation to perioperative factors and urgency of operation. *Eur J Cardiothorac Surg* 1995;**9**:685-91.
28. Brann S, Martineau R, Cartier R. Left main coronary artery stenosis: Early experience with surgical revascularization without cardiopulmonary bypass. *J Cardiovasc Surg* 2000;**41**:175-9.
29. Bridgewater B, Neve H, Moat N, *et al.* Predicting operative risk for coronary artery surgery in the United Kingdom: A comparison of various risk prediction algorithms. *Heart* 1998;**79**:350-5.

30. Brown RS, Thwaites BK, Mongan PD. Tranexamic acid is effective in decreasing postoperative bleeding and transfusions in primary coronary artery bypass operations: A double-blind, randomized, placebo-controlled trial. *Anesth Analg* 1997;**85**:963-70.
31. Browning PG, Pullan M, Jackson M, *et al.* Leukocyte-depleted cardioplegia does not reduce reperfusion injury in hypothermic coronary artery bypass surgery. *Perfusion* 1999;**14**:371-7.
32. Bull DA, Neumayer LA, Hunter GC, *et al.* Risk factors for stroke in patients undergoing coronary artery bypass grafting. *Cardiovasc Surg* 1993;**1**:182-5.
33. Bull DA, Neumayer LA, Stringham JC, *et al.* Coronary artery bypass grafting with cardiopulmonary bypass versus off-pump cardiopulmonary bypass grafting: Does eliminating the pump reduce morbidity and cost?. *Ann Thorac Surg* 2001;**71**:170-3.
34. Butterworth J, Legault C, Stump DA, *et al.* A randomized, blinded trial of the antioxidant pegorgotein: No reduction in neuropsychological deficits, inotropic drug support, or myocardial ischemia after coronary artery bypass surgery. *J Cardiothorac Vasc Anesth* 1999;**13**:690-4.
35. Buxton BF, Komeda M, Fuller JA, *et al.* Bilateral internal thoracic artery grafting may improve outcome of coronary artery surgery: Risk-adjusted survival. *Circulation* 1998;**98**:II 1-6.
36. Calafiore AM, Di Giammarco G, Luciani N, *et al.* Composite arterial conduits for a wider arterial myocardial revascularization. *Ann Thorac Surg* 1994;**58**:185-90.
37. Calafiore AM, Teodori G, Di Giammarco G, *et al.* Intermittent antegrade cardioplegia: Warm blood versus cold crystalloid. A clinical study. *J Cardiovasc Surg Torino* 1994;**35**:179-84.
38. Canver CC, Nichols RD. Use of intraoperative hetastarch priming during coronary bypass. *Chest* 2000;**118**:1616-20.
39. Capdeville M, Lee JH, Taylor AL. Effect of gender on fast-track recovery after coronary artery bypass graft surgery. *J Cardiothorac Vasc Anesth* 2001;**15**:146-51.

40. Carrie D, Elbaz M, Puel J, *et al.* Five-year outcome after coronary angioplasty versus bypass surgery in multivessel coronary artery disease: Results from the French Monocentric Study. *Circulation* 1997;**96**:II-6.
41. Carrier M, Pellerin M, Page PL, *et al.* Can L-arginine improve myocardial protection during cardioplegic arrest? Results of a phase I pilot study. *Ann Thorac Surg* 1998;**66**:108-12.
42. Carrier M, Pelletier LC, Martineau R, *et al.* In elective coronary artery bypass grafting, preoperative troponin T level predicts the risk of myocardial infarction. *J Thorac Cardiovasc Surg* 1998;**115**:1328-34.
43. Carrier M, Pelletier LC, Searle NR. Does retrograde administration of blood cardioplegia improve myocardial protection during first operation for coronary artery bypass grafting?. *Ann Thorac Surg* 1997;**64**:1256-61.
44. Cernaianu AC, Flum DR, Maurer M, *et al.* Comparison of antegrade with antegrade/retrograde cold blood cardioplegia for myocardial revascularization. *Tex Heart Inst J* 1996;**23**:9-14.
45. Chaney MA, Nikolov MP, Blakeman BP, *et al.* Intrathecal morphine for coronary artery bypass graft procedure and early extubation revisited. *J Cardiothorac Vasc Anesth* 1999;**13**:574-8.
46. Charlson M, Krieger KH, Peterson JC, *et al.* Predictors and outcomes of cardiac complications following elective coronary bypass grafting. *Proc Assoc Am Physicians* 1999;**111**:622-32.
47. Cheng DC, Karski J, Peniston C, *et al.* Morbidity outcome in early versus conventional tracheal extubation after coronary artery bypass grafting: A prospective randomized controlled trial. *J Thorac Cardiovasc Surg* 1996;**112**:755-64.
48. Chertow GM, Lazarus JM, Christiansen CL, *et al.* Preoperative renal risk stratification. *Circulation* 1997;**95**:878-84.
49. Christakis GT, Fremes SE, Koch JP, *et al.* Determinants of low systemic vascular resistance during cardiopulmonary bypass. *Ann Thorac Surg* 1994;**58**:1040-9.

50. Christenson JT. Preoperative lipid-control with simvastatin reduces the risk of postoperative thrombocytosis and thrombotic complications following CABG. *Eur J Cardiothorac Surg* 1999;**15**:394-9.
51. Christenson JT, Simonet F, Schmuziger M. The influence of age on the outcome of primary coronary artery bypass grafting. *J Cardiovasc Surg* 1999;**40**:333-8.
52. Clark RE, Brillman J, Davis DA, *et al.* Microemboli during coronary artery bypass grafting. Genesis and effect on outcome. *J Thorac Cardiovasc Surg* 1995;**109**:249-57.
53. Cohen AJ, Katz MG, Frenkel G, *et al.* Morbid results of prolonged intubation after coronary artery bypass surgery. *Chest* 2000;**118**:1724-31.
54. Conlon PJ, Stafford-Smith M, White WD, *et al.* Acute renal failure following cardiac surgery. *Nephrol Dial Transplant* 1999;**14**:1158-62.
55. Corbineau H, Lebreton H, Langanay T, *et al.* Prospective evaluation of coronary arteries: Influence on operative risk in coronary artery surgery. *Eur J Cardiothorac Surg* 1999;**16**:429-34.
56. Craver JM, Bufkin BL, Weintraub WS, *et al.* Neurologic events after coronary bypass grafting: Further observations with warm cardioplegia. *Ann Thorac Surg* 1995;**59**:1429-33.
57. Czerny M, Baumer H, Kilo J, *et al.* Complete revascularization in coronary artery bypass grafting with and without cardiopulmonary bypass. *Ann Thorac Surg* 2001;**71**:165-9.
58. Defraigne JO, Pincemail J, Dekoster G, *et al.* SMA circuits reduce platelet consumption and platelet factor release during cardiac surgery. *Ann Thorac Surg* 2000;**70**:2075-81.
59. Del Rizzo DF, Fremes SE, Christakis GT, *et al.* Coronary bypass with arterial conduits. *Cardiovasc Surg* 1998;**6**:81-9.
60. Dignan RJ, Law DW, Seah PW, *et al.* Ultra-low dose aprotinin decreases transfusion requirements and is cost effective in coronary operations. *Ann Thorac Surg* 2001;**71**:158-63.

61. Duda AM, Letwin LB, Sutter FP, *et al.* Does routine use of aortic ultrasonography decrease the stroke rate in coronary artery bypass surgery?. *J Vasc Surg* 1995;**21**:98-107.
62. Elami A, Merin G, Flugelman MY, *et al.* Usefulness of late potentials on the immediate postoperative signal-averaged electrocardiogram in predicting ventricular tachyarrhythmias early after isolated coronary artery bypass grafting. *Am J Cardiol* 1994;**74**:33-7.
63. Elisheva S, Noya G, Yana ZG, *et al.* Sequential logistic models for 30 days mortality after CABG: Pre-operative, intra-operative and post-operative experience - The Israeli CABG study (ISCAB). Three models for early mortality after CABG. *Eur J Epidemiol* 2000;**16**:543-55.
64. Fang WC, Helm RE, Krieger KH, *et al.* Impact of minimum hematocrit during cardiopulmonary bypass on mortality in patients undergoing coronary artery surgery. *Circulation* 1997;**96**:II 194-9.
65. Fanning WJ, Thomas CSJ, Roach A, *et al.* Prophylaxis of atrial fibrillation with magnesium sulfate after coronary artery bypass grafting. *Ann Thorac Surg* 1991;**52**:529-33.
66. Fiore AC, Swartz MT, Nevett R, *et al.* Intermittent antegrade tepid versus cold blood cardioplegia in elective myocardial revascularization. *Ann Thorac Surg* 1998;**65**:1559-64.
67. Forlani S, Bassano C, Tomai F, *et al.* Mid-term results of conventional bypass surgery for complex proximal left anterior descending coronary artery stenoses. *G Ital Cardiol* 1999;**29**:781-6.
68. Fortescue EB, Bates DW, Chertow GM. Predicting acute renal failure after coronary bypass surgery: Cross-validation of two risk-stratification algorithms. *Kidney Int* 2000;**57**:2594-602.
69. Fukuda I, Osaka M, Unno H, *et al.* Bilateral internal thoracic artery T grafting for coronary artery revascularization. Angiographic assessment and mid-term outcome. *Jpn J Thorac Cardiovasc Surg* 2001;**49**:160-4.

70. Gamoso MG, Phillips-Bute B, Landolfo KP, *et al.* Off-pump versus on-pump coronary artery bypass surgery and postoperative renal dysfunction. *Anesth Analg* 2000;**91**:1080-4.
71. Gansera B, Gunzinger R, Angelis I, *et al.* End of the millennium - End of the single thoracic artery graft? Two thoracic arteries - Standard for the next millennium? Early clinical results and analysis of risk factors in 1,487 patients with bilateral internal thoracic artery grafts. *Thorac Cardiovasc Surg* 2001;**49**:10-5.
72. Gold MR, O'Gara PT, Buckley MJ, *et al.* Efficacy and safety of procainamide in preventing arrhythmias after coronary artery bypass surgery. *Am J Cardiol* 1996;**78**:975-9.
73. Goldman SM, Sutter FP, Priest BP, *et al.* Continuous retrograde cardiac perfusion decreases risk of reoperative coronary artery bypass grafting. *Angiology* 1997;**48**:433-43.
74. Goodwin AT, Birdi I, Ramesh TP, *et al.* Effect of surgical training on outcome and hospital costs in coronary surgery. *Heart* 2001;**85**:454-7.
75. Goto T, Baba T, Yoshitake A, *et al.* Craniocervical and aortic atherosclerosis as neurologic risk factors in coronary surgery. *Ann Thorac Surg* 2000;**69**:834-40.
76. Goy JJ, Kaufmann U, Goy-Eggenberger D, *et al.* A prospective randomized trial comparing stenting to internal mammary artery grafting for proximal, isolated de novo left anterior coronary artery stenosis: The SIMA trial. Stenting vs. internal mammary artery. *Mayo Clin Proc* 2000;**75**:1116-23.
77. Green D, Sanders J, Eiken M, *et al.* Recombinant aprotinin in coronary artery bypass graft operations. *J Thorac Cardiovasc Surg* 1995;**110**:963-70.
78. Grimm M, Czerny M, Baumer H, *et al.* Normothermic cardiopulmonary bypass is beneficial for cognitive brain function after coronary artery bypass grafting - A prospective randomized trial. *Eur J Cardiothorac Surg* 2000;**18**:270-5.



79. Groh MA, Sutherland SE, Burton HG, *et al.* Port-access coronary artery bypass grafting: Technique and comparative results. *Ann Thorac Surg* 1999;**68**:1506-8.
80. Grover FL, Johnson RR, Marshall G, *et al.* Impact of mammary grafts on coronary bypass operative mortality and morbidity. Department of Veterans Affairs Cardiac Surgeons. *Ann Thorac Surg* 1994;**57**:559-68.
81. Guliemos V, Brandt M, Dill HM, *et al.* Coronary artery bypass grafting via median sternotomy or lateral minithoracotomy. *Eur J Cardiothorac Surg* 1999;**16 Suppl 2**:S48-52.
82. Gurevitch J, Matsa M, Paz Y, *et al.* Effect of age on outcome of bilateral skeletonized internal thoracic artery grafting. *Ann Thorac Surg* 2001;**71**:549-54.
83. Hayashida N, Isomura T, Sato T, *et al.* Effects of minimal-dose aprotinin on coronary artery bypass grafting. *J Thorac Cardiovasc Surg* 1997;**114**:261-9.
84. Hendrikx M, Jiang H, Gutermann H, *et al.* Release of cardiac troponin I in antegrade crystalloid versus cold blood cardioplegia. *J Thorac Cardiovasc Surg* 1999;**118**:452-9.
85. Hirose H, Amano A, Yoshida S, *et al.* Off-pump coronary artery bypass: Early results. *Ann Thorac Cardiovasc Surg* 2000;**6**:110-8.
86. Hirotani T, Kameda T, Kumamoto T, *et al.* Stroke after coronary artery bypass grafting in patients with cerebrovascular disease. *Ann Thorac Surg* 2000;**70**:1571-6.
87. Insler SR, O'Connor M, Samonte AF, *et al.* Lidocaine and the inhibition of postoperative pain in coronary artery bypass patients. *J Cardiothorac Vasc Anesth* 1995;**9**:541-6.
88. Ioannidis JP, Galanos O, Katritsis D, *et al.* Early mortality and morbidity of bilateral versus single internal thoracic artery revascularization: Propensity and risk modeling. *J Am Coll Cardiol* 2001;**37**:521-8.

89. Jonsson H, Johnsson P, Alling C, *et al.* Significance of serum S100 release after coronary artery bypass grafting. *Ann Thorac Surg* 1998;**65**:1639-44.
90. Kalangos A, Tayyareci G, Pretre R, *et al.* Influence of aprotinin on early graft thrombosis in patients undergoing myocardial revascularization. *Eur J Cardiothorac Surg* 1994;**8**:651-6.
91. Kallis P, Tooze JA, Talbot S, *et al.* Pre-operative aspirin decreases platelet aggregation and increases post-operative blood loss - A prospective, randomised, placebo controlled, double-blind clinical trial in 100 patients with chronic stable angina. *Eur J Cardiothorac Surg* 1994;**8**:404-9.
92. Kaukoranta P, Lepojarvi M, Nissinen J, *et al.* Normothermic versus mild hypothermic retrograde blood cardioplegia: A prospective, randomized study. *Ann Thorac Surg* 1995;**60**:1087-93.
93. Kawata T, Taniguchi S, Nishioka H, *et al.* Benefits accruing to grafting of the right internal thoracic artery to the left anterior descending artery in coronary artery bypass grafting. *Jpn J Thorac Cardiovasc Surg* 1999;**47**:388-93.
94. Kilger E, Weis FC, Goetz AE, *et al.* Intensive care after minimally invasive and conventional coronary surgery: A prospective comparison. *Intensive Care Med* 2001;**27**:534-9.
95. Klein M, Keith PR, Dauben HP, *et al.* Aprotinin counterbalances an increased risk of peri-operative hemorrhage in CABG patients pre-treated with aspirin. *Eur J Cardiothorac Surg* 1998;**14**:360-6.
96. Kshetry VR, Flavin TF, Emery RW, *et al.* Does multivessel, off-pump coronary artery bypass reduce postoperative morbidity?. *Ann Thorac Surg* 2000;**69**:1725-30.
97. Kulshrestha P, Rao L, Garb JL, *et al.* Use of extrafascially harvested radial artery for coronary artery revascularization: Technical considerations. *J Card Surg* 1999;**14**:26-31.
98. Lancey RA, Soller BR, Vander ST. Off-pump versus on-pump coronary artery bypass surgery: A case-matched comparison of clinical outcomes and costs. *Heart Surg* 2000;**3**:277-81.

99. Landymore R, Murphy JT, Hall R, *et al.* Randomized trial comparing intermittent antegrade warm blood cardioplegia with multidose cold blood cardioplegia for coronary artery bypass. *Eur J Cardiothorac Surg* 1996;**10**:179-84.
100. Lass M, Welz A, Kochs M, *et al.* Aprotinin in elective primary bypass surgery. Graft patency and clinical efficacy. *Eur J Cardiothorac Surg* 1995;**9**:206-10.
101. Leavitt BJ, O'Connor GT, Olmstead EM, *et al.* Use of the internal mammary artery graft and in-hospital mortality and other adverse outcomes associated with coronary artery bypass surgery. *Circulation* 2001;**103**:507-12.
102. Lee JH, Abdelhady K, Capdeville M. Clinical outcomes and resource usage in 100 consecutive patients after off-pump coronary bypass procedures. *Surgery* 2000;**128**:548-55.
103. Lee JH, Graber R, Popple CG, *et al.* Safety and efficacy of early extubation of elderly coronary artery bypass surgery patients. *J Cardiothorac Vasc Anesth* 1998;**12**:381-4.
104. Lee JH, Kim KH, vanHeeckeren DW, *et al.* Cost analysis of early extubation after coronary bypass surgery. *Surgery* 1996;**120**:611-7.
105. Lee SH, Chang CM, Lu MJ, *et al.* Intravenous amiodarone for prevention of atrial fibrillation after coronary artery bypass grafting. *Ann Thorac Surg* 2000;**70**:157-61.
106. Lemmer JHJ, Dilling EW, Morton JR, *et al.* Aprotinin for primary coronary artery bypass grafting: A multicenter trial of three dose regimens. *Ann Thorac Surg* 1996;**62**:1659-67.
107. Lemmer JHJ, Stanford W, Bonney SL, *et al.* Aprotinin for coronary artery bypass grafting: Effect on postoperative renal function. *Ann Thorac Surg* 1995;**59**:132-6.
108. Leung JM, Stanley T, Mathew J, *et al.* An initial multicenter, randomized controlled trial on the safety and efficacy of acadesine in patients undergoing coronary artery bypass graft surgery. SPI Research Group. *Anesth Analg* 1994;**78**:420-34.

109. Levy T, Fotopoulos G, Walker S, *et al.* Randomized controlled study investigating the effect of biatrial pacing in prevention of atrial fibrillation after coronary artery bypass grafting. *Circulation* 2000;**102**:1382-7.
110. Lindsay GM, Hanlon P, Smith LN, *et al.* Assessment of changes in general health status using the short-form 36 questionnaire 1 year following coronary artery bypass grafting. *Eur J Cardiothorac Surg* 2000;**18**:557-64.
111. Liu Z, Valencia O, Treasure T, *et al.* Cold blood cardioplegia or intermittent cross-clamping in coronary artery bypass grafting?. *Ann Thorac Surg* 1998;**66**:462-5.
112. Mahoney CB, Donnelly JE. Impact of closed versus open venous reservoirs on patient outcomes in isolated coronary artery bypass graft surgery. *Perfusion* 2000;**15**:467-72.
113. Maras D, Boskovic SD, Popovic Z, *et al.* Single-day loading dose of oral amiodarone for the prevention of new-onset atrial fibrillation after coronary artery bypass surgery. *Am Heart J* 2001;**141**:E8.
114. Martin TD, Craver JM, Gott JP, *et al.* Prospective, randomized trial of retrograde warm blood cardioplegia: Myocardial benefit and neurologic threat. *Ann Thorac Surg* 1994;**57**:298-302.
115. Mauldin PD, Weintraub WS, Becker ER. Predicting hospital costs for first-time coronary artery bypass grafting from preoperative and postoperative variables. *Am J Cardiol* 1994;**74**:772-5.
116. Maziak DE, Rao V, Christakis GT, *et al.* Can patients with left main stenosis wait for coronary artery bypass grafting?. *Ann Thorac Surg* 1996;**61**:552-7.
117. McKhann GM, Goldsborough MA, Borowicz LMJ, *et al.* Predictors of stroke risk in coronary artery bypass patients. *Ann Thorac Surg* 1997;**63**:516-21.
118. McLean TR, Jones JW, Svensson LG, *et al.* Selective topical cooling for myocardial protection. *Cardiovasc Surg* 1993;**1**:176-81.
119. McSPI Research Group. Effects of acadesine on the incidence of myocardial infarction and adverse cardiac outcomes after coronary artery bypass graft surgery. *Anesthesiology* 1995;**83**:658-73.

120. Menasche P, Jamieson WR, Flameng W, *et al.* Acadesine: A new drug that may improve myocardial protection in coronary artery bypass grafting. Results of the first international multicenter study. Multinational Acadesine Study Group. *J Thorac Cardiovasc Surg* 1995;**110**:1096-106.
121. Mendes LA, Connelly GP, McKenney PA, *et al.* Right coronary artery stenosis: An independent predictor of atrial fibrillation after coronary artery bypass surgery. *J Am Coll Cardiol* 1995;**25**:198-202.
122. Mesh CL, Cmolik BL, Van Heekeren DW, *et al.* Coronary bypass in vascular patients: A relatively high-risk procedure. *Ann Vasc Surg* 1997;**11**:612-9.
123. Michalopoulos A, Nikolaides A, Antzaka C, *et al.* Change in anaesthesia practice and postoperative sedation shortens ICU and hospital length of stay following coronary artery bypass surgery. *Respir Med* 1998;**92**:1066-70.
124. Minakata K, Konishi Y, Matsumoto M, *et al.* Influence of peripheral vascular occlusive disease on the morbidity and mortality of coronary artery bypass grafting. *Jpn Circ J* 2000;**64**:905-8.
125. Mizuno T, Toyama M, Tabuchi N, *et al.* Thickened intima of the aortic arch is a risk factor for stroke with coronary artery bypass grafting. *Ann Thorac Surg* 2000;**70**:1565-70.
126. Mongan PD, Hosking MP. The role of desmopressin acetate in patients undergoing coronary artery bypass surgery. A controlled clinical trial with thromboelastographic risk stratification. *Anesthesiology* 1992;**77**:38-46.
127. Montes FR, Sanchez SI, Giraldo JC, *et al.* The lack of benefit of tracheal extubation in the operating room after coronary artery bypass surgery. *Anesth Analg* 2000;**91**:776-80.
128. Mounsey JP, Griffith MJ, Heaviside DW, *et al.* Determinants of the length of stay in intensive care and in hospital after coronary artery surgery. *Br Heart J* 1995;**73**:92-8.
129. Mullany CJ, Mock MB, Brooks MM, *et al.* Effect of age in the Bypass Angioplasty Revascularization Investigation (BARI) randomized trial. *Ann Thorac Surg* 1999;**67**:396-403.

130. Mullis-Jansson SL, Argenziano M, Corwin S, *et al.* A randomized double-blind study of the effect of triiodothyronine on cardiac function and morbidity after coronary bypass surgery. *J Thorac Cardiovasc Surg* 1999;**117**:1128-34.
131. Myers WO, Berg R, Ray JF, *et al.* All-artery multigraft coronary artery bypass grafting with only internal thoracic arteries possible and safe: A randomized trial. *Surgery* 2000;**128**:650-9.
132. Myles PS, Buckland MR, Weeks AM, *et al.* Hemodynamic effects, myocardial ischemia, and timing of tracheal extubation with propofol-based anesthesia for cardiac surgery. *Anesth Analg* 1997;**84**:12-9.
133. Nicholson IA, Paterson HS. Modified T graft for triple-vessel disease. *Ann Thorac Surg* 1997;**64**:451-3.
134. Noyez L, Janssen DP, van Druten JA, *et al.* Coronary bypass surgery: What is changing? Analysis of 3834 patients undergoing primary isolated myocardial revascularization. *Eur J Cardiothorac Surg* 1998;**13**:365-9.
135. Noyez L, Knape JT, Arnold BJ, *et al.* Evaluation of myocardial protection by combination of lidoflazine pretreatment and St. Thomas' Hospital cardioplegia in aorto-coronary bypass grafting. *Eur J Cardiothorac Surg* 1992;**6**:377-81.
136. O'Keefe JHJ, Kreamer TR, Jones PG, *et al.* Isolated left anterior descending coronary artery disease: Percutaneous transluminal coronary angioplasty versus stenting versus left internal mammary artery bypass grafting. *Circulation* 1999;**100**:II114-18.
137. Orr RK, Maini BS, Sottile FD, *et al.* A comparison of four severity-adjusted models to predict mortality after coronary artery bypass graft surgery. *Arch Surg* 1995;**130**:301-6.
138. Ovrum E, Tangen G, Schiott C, *et al.* Rapid recovery protocol applied to 5,658 consecutive "on-pump" coronary bypass patients. *Ann Thorac Surg* 2000;**70**:2008-12.
139. Quigley RL, Reitknecht FL. A coronary artery bypass "fast-track" protocol is practical and realistic in a rural environment. *Ann Thorac Surg* 1997;**64**:706-9.

140. Rao V, Ivanov J, Weisel RD, *et al.* Predictors of low cardiac output syndrome after coronary artery bypass. *J Thorac Cardiovasc Surg* 1996;**112**:38-51.
141. Rashid A, Fabri BM, Jackson M, *et al.* A prospective randomised study of continuous warm versus intermittent cold blood cardioplegia for coronary artery surgery: Preliminary report. *Eur J Cardiothorac Surg* 1994;**8**:265-9.
142. Rashid A, Jackson M, Page RD, *et al.* Continuous warm versus intermittent cold blood cardioplegia for coronary bypass surgery in patients with left ventricular dysfunction. *Eur J Cardiothorac Surg* 1995;**9**:405-8.
143. Reich DL, Bodian CA, Krol M, *et al.* Intraoperative hemodynamic predictors of mortality, stroke, and myocardial infarction after coronary artery bypass surgery. *Anesth Analg* 1999;**89**:814-22.
144. Rolfson DB, McElhaney JE, Rockwood K, *et al.* Incidence and risk factors for delirium and other adverse outcomes in older adults after coronary artery bypass graft surgery. *Can J Cardiol* 1999;**15**:771-6.
145. Samuels LE, Sharma S, Kaufman MS, *et al.* Coronary artery bypass grafting in patients in their third decade of life. *J Card Surg* 1996;**11**:402-7.
146. Sanchez R, Haft JI. Temporal relationship of complications after coronary artery bypass graft surgery: Scheduling for safe discharge. *Am Heart J* 1994;**127**:282-6.
147. Savunen T, Kuttilla K, Rajalin A, *et al.* Combined cardioplegia delivery offers no advantage over antegrade cardioplegia administration in coronary surgical patients with a preserved left ventricular function. *Eur J Cardiothorac Surg* 1994;**8**:640-4.
148. Searle NR, Martineau RJ, Conzen P, *et al.* Comparison of sevoflurane/fentanyl and isoflurane/fentanyl during elective coronary artery bypass surgery. Sevoflurane Venture Group. *Can J Anaesth* 1996;**43**:890-9.
149. Sellevold OF, Berg EM, Levang OW. Procaine is effective for minimizing postischemic ventricular fibrillation in cardiac surgery. *Anesth Analg* 1995;**81**:932-8.

150. Shapira OM, Alkon JD, Aldea GS, *et al.* Clinical outcomes in patients undergoing coronary artery bypass grafting with preferred use of the radial artery. *J Card Surg* 1997;**12**:381-8.
151. Silbert BS, Santamaria JD, O'Brien JL, *et al.* Early extubation following coronary artery bypass surgery: A prospective randomized controlled trial. The Fast Track Cardiac Care Team. *Chest* 1998;**113**:1481-8.
152. Smith RC, Leung JM, Mangano DT. Postoperative myocardial ischemia in patients undergoing coronary artery bypass graft surgery. SPI Research Group. *Anesthesiology* 1991;**74**:464-73.
153. Sofer D, Gurevitch J, Shapira I, *et al.* Sternal wound infections in patients after coronary artery bypass grafting using bilateral skeletonized internal mammary arteries. *Ann Surg* 1999;**229**:585-90.
154. Stafford PJ, Kolvekar S, Cooper J, *et al.* Signal averaged P wave compared with standard electrocardiography or echocardiography for prediction of atrial fibrillation after coronary bypass grafting. *Heart* 1997;**77**:417-22.
155. Sunderdiek U, Feindt P, Gams E. Aortocoronary bypass grafting: A comparison of HTK cardioplegia vs. intermittent aortic cross-clamping. *Eur J Cardiothorac Surg* 2000;**18**:393-9.
156. Svenmarker S, Sandstrom E, Karlsson T, *et al.* Neurological and general outcome in low-risk coronary artery bypass patients using heparin coated circuits. *Eur J Cardiothorac Surg* 2001;**19**:47-53.
157. Tasdemir O, Kiziltepe U, Karagoz HY, *et al.* Long-term results of reconstructions of the left anterior descending coronary artery in diffuse atherosclerotic lesions. *J Thorac Cardiovasc Surg* 1996;**112**:745-54.
158. Tatoulis J, Buxton BF, Fuller JA, *et al.* Total arterial coronary revascularization: Techniques and results in 3,220 patients. *Ann Thorac Surg* 1999;**68**:2093-9.
159. The Warm Heart Investigators. Randomised trial of normothermic versus hypothermic coronary bypass surgery. *Lancet* 1994;**343**:559-63.



160. Utley JR, Leyland SA, Fogarty CM, *et al.* Smoking is not a predictor of mortality and morbidity following coronary artery bypass grafting. *J Card Surg* 1996;**11**:377-84.
161. van der Meer J, Hillege HL, Ascoop CA, *et al.* Aprotinin in aortocoronary bypass surgery: Increased risk of vein-graft occlusion and myocardial infarction? Supportive evidence from a retrospective study. *Thromb Haemost* 1996;**75**:1-3.
162. Vermes E, Mesguich M, Houel R, *et al.* Cardiac troponin I release after open heart surgery: A marker of myocardial protection. *Ann Thorac Surg* 2000;**70**:2087-90.
163. Vural KM, Tasdemir O, Karagoz H, *et al.* Comparison of the early results of coronary artery bypass grafting with and without extracorporeal circulation. *Thorac Cardiovasc Surg* 1995;**43**:320-5.
164. Wagner J, Ennker J, Hetzer R. Characteristics of patients younger than 40 years of age operated for coronary artery disease. *Herz* 1996;**21**:183-91.
165. Wandschneider W, Thalmann M, Trampitsch E, *et al.* Off-pump coronary bypass operations significantly reduce S100 release: An indicator for less cerebral damage. *Ann Thorac Surg* 2000;**70**:1577-9.
166. Warner CD, Weintraub WS, Craver JM, *et al.* Effect of cardiac surgery patient characteristics on patient outcomes from 1981 through 1995. *Circulation* 1997;**96**:1575-9.
167. Watson DR, Duff SB. The clinical and financial impact of port-access coronary revascularization. *Eur J Cardiothorac Surg* 1999;**16 Suppl 1**:S103-S106.
168. Weinstein GS. Left hemispheric strokes in coronary surgery: Implications for end-hole aortic cannulas. *Ann Thorac Surg* 2001;**71**:128-32.
169. Wendler, Shahangi E, Georg T, *et al.* Complete arterial coronary artery bypass grafting versus conventional revascularization: Early results. *Thorac Cardiovasc Surg* 2001;**49**:1-4.

170. Wildevuur CR, Jansen PG, Bezemer PD, *et al.* Clinical evaluation of Duraflo II heparin treated extracorporeal circulation circuits (2nd version). The European Working Group on heparin coated extracorporeal circulation circuits. *Eur J Cardiothorac Surg* 1997;**11**:616-23.
171. Wong DT, Cheng DC, Kustra R, *et al.* Risk factors of delayed extubation, prolonged length of stay in the intensive care unit, and mortality in patients undergoing coronary artery bypass graft with fast-track cardiac anesthesia: A new cardiac risk score. *Anesthesiology* 1999;**91**:936-44.
172. Yap AG, Baladi N, Allman G, *et al.* Coronary artery bypass surgery on small patients. *J Invasive Cardiol* 2000;**12**:242-6.
173. Yau TM, Ikonomidis JS, Weisel RD, *et al.* Which techniques of cardioplegia prevent ischemia?. *Ann Thorac Surg* 1993;**56**:1020-8.
174. Yau TM, Weisel RD, Mickle DA, *et al.* Alternative techniques of cardioplegia. *Circulation* 1992;**86**:II377-II384.
175. Yazigi A, Richa F, Gebara S, *et al.* Prognostic importance of automated ST-segment monitoring after coronary artery bypass graft surgery. *Acta Anaesthesiol Scand* 1998;**42**:532-5.
176. Yoon BW, Bae HJ, Kang DW, *et al.* Intracranial cerebral artery disease as a risk factor for central nervous system complications of coronary artery bypass graft surgery. *Stroke* 2001;**32**:94-9.